

---

# Structure And Function Of Nucleic Acid

---

*Structure  
And Function  
Of Nucleic  
Acid*

*Downloaded  
from  
[remodelicious.com](http://remodelicious.com)  
by Neal &  
Kennedi*

---

## INTRODUCTION: THE BLUEPRINT OF LIFE

---

At the core of every living organism, from the simplest bacterium to the most complex human being, lies a remarkable class of biological molecules known as nucleic acids. These molecules are the custodians of genetic information, the instruction manuals for life itself. When we explore the **structure**

**and function of nucleic acid**, we are essentially uncovering how life stores, transmits, and executes its hereditary information. Nucleic acids, primarily deoxyribonucleic acid (DNA) and ribonucleic acid (RNA), orchestrate the symphony of cellular activities, ensuring that proteins are built correctly and that genetic traits are passed from one generation to the next. Understanding their molecular architecture is not just a topic for biology textbooks; it is

fundamental to modern medicine, genetics, and biotechnology. This article will take you on a detailed journey through the intricate world of nucleic acid structure and function, revealing how these elegant molecules drive the processes of life.

---

## WHAT ARE NUCLEIC ACIDS? A FOUNDATIONAL OVERVIEW

---

Nucleic acids are long-chain polymers made up of smaller repeating units called nucleotides. They were first discovered in the 19th century by Friedrich Miescher, who isolated a substance he called "nuclein" from the nuclei of white blood cells. Over the subsequent century,

scientists like Rosalind Franklin, James Watson, and Francis Crick revealed the stunning double-helix structure of DNA, a breakthrough that revolutionized biology. The **structure and function of nucleic acid** are intimately linked: the way these molecules are built determines how they can store genetic code, replicate, and control cellular machinery. DNA serves as the long-term storage molecule, while RNA acts as a versatile intermediary that helps translate that stored information into functional proteins.

---

## THE BASIC STRUCTURAL UNIT: THE NUCLEOTIDE

---

To grasp the **structure and function of nucleic acid**, one

must first understand its building block: the nucleotide. Each nucleotide consists of three distinct components:

- **A phosphate group:** This provides a negative charge and links nucleotides together through phosphodiester bonds.
- **A five-carbon sugar:** In DNA, the sugar is deoxyribose; in RNA, it is ribose. The difference is a single hydroxyl group on the ribose, which makes RNA more reactive and less stable than DNA.
- **A nitrogenous base:** There are two categories of bases: purines (adenine and

guanine) and pyrimidines (cytosine, thymine in DNA, and uracil in RNA). The specific pairing of these bases is critical for genetic encoding.

Nucleotides are joined together through condensation reactions between the phosphate group of one nucleotide and the sugar of the next, forming a sugar-phosphate backbone. This backbone is highly polar and gives nucleic acids their characteristic negative charge, which influences how they interact with proteins and other molecules within the cell.

# The Two Types of Nucleic Acids: DNA and RNA

While both DNA and RNA share the same general nucleotide structure, they differ in crucial ways that directly affect their functions.

## 1. **DNA (Deoxyribonucleic Acid):**

Typically exists as a double-stranded helix. It uses the sugar deoxyribose and the base thymine instead of uracil.

DNA is remarkably stable, making it ideal for long-term genetic storage inside the cell nucleus.

## 2. **RNA (Ribonucleic Acid):**

Usually single-stranded, but can form complex secondary structures through internal base pairing. It uses ribose sugar and uracil in place of thymine. RNA is more versatile and involved in various cellular processes from gene expression to regulation.

The differences in sugar and base composition are key to the **structure and function of nucleic**

**acid**, as they allow the cell to differentiate between these two molecules and perform distinct tasks.

---

### THE ICONIC DOUBLE HELIX: DNA STRUCTURE IN DETAIL

---

Perhaps the most famous structural model in all of science is the DNA double helix. Proposed by Watson and Crick in 1953 based on X-ray diffraction data from Franklin, the model elegantly explains how genetic information is stored and copied. Key features of DNA structure include:

- **Two antiparallel strands:** One strand runs in the 5' to 3' direction, while the other runs 3'

to 5'. This antiparallel orientation is essential for replication and transcription.

- **Complementary base pairing:** Adenine (A) always pairs with thymine (T) via two hydrogen bonds, and guanine (G) always pairs with cytosine (C) via three hydrogen bonds. This specific pairing ensures that the sequence on one strand determines the sequence on the other, forming the basis for replication.
- **The sugar-phosphate backbone:** Positioned on the outside of the

helix, with the nitrogenous bases stacked inside, like the rungs of a twisted ladder.

- **Major and minor grooves:**

The winding of the helix creates grooves that serve as binding sites for proteins that regulate gene expression and replication.

The stability of the DNA double helix is enhanced by base-stacking interactions and hydrogen bonding. This structural architecture directly enables its function: the sequence of bases along the DNA molecule encodes the genetic blueprint, while the complementary strands allow for accurate duplication during cell division.

# RNA

## Structure: More Flexible and Versatile

Unlike the rigid double helix of DNA, RNA molecules can adopt a variety of shapes. Single-stranded RNA often folds back on itself to form local double-stranded regions through complementary base pairing (A pairs with U, G pairs with C). This creates structures like stem-loops, bulges, and hairpins. The **structure and function of nucleic acid** are especially

evident in RNA, where the 3D shape is essential for function. For example, transfer RNA (tRNA) has a cloverleaf secondary structure that folds into an L-shaped tertiary structure, allowing it to carry amino acids to the ribosome. Ribosomal RNA (rRNA) folds into complex structures that form the catalytic core of the ribosome. The greater chemical reactivity of the ribose sugar also allows RNA to act as both a genetic material and a catalyst in some cellular processes, a concept central to the RNA world hypothesis.

---

### **THE CORE FUNCTIONS OF NUCLEIC ACIDS**

---

The primary function of nucleic acids is to store and transmit genetic

information. However, this overarching role is broken down into several specific processes that sustain life.

## **DNA Replication: Passing on the Code**

Before a cell divides, it must duplicate its entire genome so that each daughter cell receives a complete set of instructions. DNA replication relies on the complementary structure of the double helix. The enzyme helicase unwinds the

DNA, and DNA polymerase reads the original strand and synthesizes a new complementary strand using free nucleotides. Because of base-pairing rules, each new DNA molecule consists of one old strand and one new strand—a process called semiconservative replication. This accuracy is critical; errors can lead to mutations, which may be harmless, beneficial, or cause diseases like cancer. The **structure and function of nucleic acid** come together perfectly here, as the double-stranded structure provides both a template and a mechanism for proofreading.

## Transcription: From DNA to RNA

For the genetic information stored in DNA to be used, it must first be converted into RNA. During transcription, a specific segment of DNA serves as a template to synthesize a complementary RNA molecule. RNA polymerase binds to a promoter region on the DNA, unwinds a small section, and builds an RNA chain using ribonucleotides (A, U, G, C). The resulting RNA molecule—typically

messenger RNA (mRNA)—carries the genetic code from the nucleus to the cytoplasm. In eukaryotic cells, the RNA transcript undergoes processing, including splicing to remove non-coding introns, addition of a 5' cap, and a poly-A tail. These modifications enhance the stability and translatability of the mRNA, illustrating how the structure of RNA is adapted for its transport and functional roles.

## Translation: Building Proteins

The final function in the flow of genetic

information is translation, where the mRNA sequence is decoded to produce a polypeptide chain (protein). This process occurs on ribosomes, which are made of rRNA and proteins. Transfer RNA (tRNA) molecules act as adaptors: each has an anticodon that base-pairs with a specific codon on the mRNA, and carries the corresponding amino acid. As the ribosome moves along the mRNA, tRNAs bring amino acids one by one, forming a growing protein chain. The linear sequence of nucleotides in the nucleic acid is translated into the linear sequence of amino acids in a protein. The **structure and function of nucleic acid** is

beautifully demonstrated by the way tRNA's three-dimensional structure allows it to accurately decode the genetic code.

---

## RNA'S DIVERSE ROLES BEYOND PROTEIN SYNTHESIS

---

For decades, RNA was viewed primarily as a passive messenger. However, we now know that RNA participates in a wide array of regulatory and catalytic functions. The **structure and function of nucleic acid** extends well beyond the central dogma. For example:

- **Ribosomal RNA (rRNA):**  
Catalyzes peptide bond formation during protein

synthesis, acting as a ribozyme.

- **Small nuclear RNA (snRNA):**  
Involved in splicing pre-mRNA in eukaryotes.
- **MicroRNA (miRNA) and small interfering RNA (siRNA):**  
Regulate gene expression by binding to complementary mRNA sequences, leading to degradation or translational repression.
- **Long non-coding RNA (lncRNA):** Plays roles in chromatin remodeling, transcriptional regulation, and cellular

organization.

These discoveries highlight the functional versatility of RNA, which arises directly from its ability to form complex secondary and tertiary structures. The single-stranded nature of RNA allows it to base-pair with itself, creating pockets and shapes that can recognize other molecules or catalyze chemical reactions.

---

### THE CENTRAL DOGMA OF MOLECULAR BIOLOGY

---

The flow of genetic information from DNA to RNA to protein is known as the central dogma of molecular biology. This framework summarizes the **structure and function of nucleic acid** in a cellular

context. It begins with DNA replication, then transcription to produce RNA, and finally translation to synthesize protein. While the majority of cells follow this path, there are exceptions. For instance, retroviruses like HIV use reverse transcriptase to synthesize DNA from an RNA template, a reversal of the usual flow. Additionally, some RNA molecules can serve directly as a genetic template without DNA, as seen in RNA viruses. Nevertheless, the central dogma remains a powerful concept for understanding how nucleic acids encode and express hereditary information.

---

### PRACTICAL

## IMPORTANCE OF UNDERSTANDING NUCLEIC ACID STRUCTURE AND

### FUNCTION

The knowledge of **structure and function of nucleic acid** has profound implications in many fields. In medicine, it enables the development of gene therapies, where faulty genes can be corrected or replaced. DNA sequencing technologies, which read the order of nucleotides, allow doctors to diagnose genetic disorders and predict disease risk. In biotechnology, enzymes that manipulate nucleic acids—such as restriction enzymes, ligases, and polymerases—are used for cloning, PCR, and

genetic engineering. The CRISPR-Cas9 system, a revolutionary gene-editing tool, relies on guide RNA to direct a nuclease to a specific DNA sequence, demonstrating how understanding RNA structure can lead to transformative applications. Furthermore, nucleic acid-based vaccines, such as the mRNA vaccines for COVID-19, directly leverage the ability to design RNA sequences that instruct cells to produce an antigen, eliciting an immune response.

## Conclusion

In summary, the **structure and function of nucleic acid**